

Week 5: Introduction

Overcoming Obstacles to Abortion Access

Jody Steinauer, MD, MAS
Associate Professor
University of California, San Francisco



University of California
San Francisco

advancing health worldwide™

Week 5: Overview and Objectives

After this week, learners will be able to

- Describe the health and abortion disparities by race/ethnicity and socioeconomic status that limit access
- Identify programs in medical education and describe the importance of integrated abortion training
- Describe the mechanisms that can delay women in accessing abortion
- Understand the importance of abortion provision in the primary care setting
- Identify Advanced Practice Clinicians as key stakeholders in abortion provision

Abortion Disparities: A Public Health Approach

Christine Dehlendorf, MD, MAS

Associate Professor
Departments of Family & Community
Medicine, and Obstetrics, Gynecology &
Reproductive Sciences
University of California, San Francisco



Health Disparities in Family Planning

Andrea Jackson, MD, MAS

Assistant Professor of
Obstetrics, Gynecology &
Reproductive Sciences
University of California, San Francisco



Effect of Obstacles on Clinical Care

Jody Steinauer, MD, MAS

Associate Professor,
Dept. Obstetrics, Gynecology and
Reproductive Sciences,
University of California San Francisco
Co-director, Fellowship in Family Planning
Director Ob-gyn Clinical Research, SFGH
Research Director, Ryan Residency Training
Program in Family Planning
Director, Innovating Education in
Reproductive Health



The Importance of Integrated Abortion Training in Medical and Nursing Education

Jody Steinauer, MD, MAS

Associate Professor,
Dept. Obstetrics, Gynecology and
Reproductive Sciences,
University of California San Francisco
Co-director, Fellowship in Family Planning
Director Ob-gyn Clinical Research, SFGH
Research Director, Ryan Residency Training
Program in Family Planning
Director, Innovating Education in
Reproductive Health



Ob-Gyn Training Story in the U.S.

Discussion with

Philip Darney, MD, MSc

Distinguished Professor, Obstetrics,
Gynecology and Reproductive Sciences
Director, Bixby Center for Global
Reproductive Health
University of California, San Francisco

and **Uta Landy, PhD**

National Director of the Kenneth J. Ryan
Residency Training Program and the
Fellowship in Family Planning
Bixby Center for Global Reproductive Health
University of California, San Francisco



Abortion in the Primary Care Setting

Christine Dehlendorf, MD, MAS

Associate Professor
Departments of Family & Community
Medicine, and Obstetrics, Gynecology &
Reproductive Sciences
University of California, San Francisco



Advanced Practice Clinicians as Abortion Providers

Amy Levi, PhD, CNM, WHNP-BC

Albers Endowed Professor of Midwifery
University of New Mexico




Expert Interviews

- Medical Students for Choice
 - Lillian Dubiel
 - Aaron Campbell
- Diana Taylor
 - Advanced Practice Clinicians as Abortion Providers

Additional Resources

- Videos
 - Huffington Post Live: Do We Need Better Abortion Curriculums?
 - Aljazeera America: Timeline, A History of the Abortion Debate in the United States
- Articles in Pop Culture
 - “The Long Road to Abortion for some of the Country’s Poorest Women”, *Cosmopolitan*



COSMOPOLITAN

Academic Literature

- Dehlendorf C, et al. Disparities in abortion rates: a public health approach. *Am J Public Health*, 2013. 103(10) 1172-9.
- Steinauer JE, et al. Impact of partial participation in integrated family planning training on medical knowledge, patient communication and professionalism. *Contraception*, 2014. 89(4): 278-85.
- Weitz T, et al. Advancing the scope of practice for advanced practice clinicians: more than a matter of access. *Contraception*. 2009 Aug; 80(2): 105-7.

FAMING HEALTH MATTERS

Disparities in Abortion Rates: A Public Health Approach

Christine Dehlendorf, MD, MEd, Lisa H. Harris, MD, PhD, and Tracy A. Wenz, PhD, MPH

Women of lower socioeconomic status and women of color in the United States have higher rates of abortion than women of higher socioeconomic status and White women. Disparities in abortion care have led to a public health approach to abortion care that focuses on the social determinants of health and that recognizes the need for a public health approach to abortion care. This approach focuses on the underlying causes of the disparities, as well as on the need for a public health approach to abortion care. This approach focuses on the underlying causes of the disparities, as well as on the need for a public health approach to abortion care. This approach focuses on the underlying causes of the disparities, as well as on the need for a public health approach to abortion care.

The abortion rate in the United States is higher than that in most other developed countries. Although the rate of abortion is declining, the rate of abortion is still higher than in most other developed countries. This is due to a number of factors, including the need for a public health approach to abortion care. This approach focuses on the underlying causes of the disparities, as well as on the need for a public health approach to abortion care.

Women of lower socioeconomic status and women of color in the United States have higher rates of abortion than women of higher socioeconomic status and White women. Disparities in abortion care have led to a public health approach to abortion care that focuses on the social determinants of health and that recognizes the need for a public health approach to abortion care. This approach focuses on the underlying causes of the disparities, as well as on the need for a public health approach to abortion care.

ELSEVIER

Contraception 89 (2014) 278–285

Original research article

Impact of partial participation in integrated family planning training on medical knowledge, patient communication and professionalism

Jody E. Steinauer^a, Jernia K. Turk^{a,*}, Felicia Proskil^a, Sangha Desai^a, Lori Freedman^a, Lisa Landry^b

^a The Ohio State University, Department of Obstetrics, Gynecology and Reproductive Sciences, University of California, San Francisco, CA, USA

^b National School of Public Health, Columbia University, New York, NY, USA

^c National School of Public Health, Columbia University, New York, NY, USA

^d Department of Obstetrics, Gynecology and Reproductive Sciences, University of California, San Francisco, CA, USA

Received 1 April 2013; revised 10 December 2013; accepted 20 December 2013

Abstract

Integrated Obstetrics and Gynecology residency programs are required to provide access to abortion training, but residents are not yet participating in training to meet these needs. Quantitative data suggest that most residents who are not taking abortion prevention and planning skills are not taking the training. We conducted a cross-sectional survey of residents who were not taking the training. We identified that residents were not taking the training because they were not taking the training. We identified that residents were not taking the training because they were not taking the training.

ELSEVIER

Contraception 89 (2009) 105–107

Editorial

Advancing scope of practice for advanced practice clinicians: more than a matter of access

The declining availability of abortion care has been the topic of many media, congressional, and academic reports in recent years. Although the availability of abortion care has been declining, the availability of abortion care has been declining. This is due to a number of factors, including the need for a public health approach to abortion care. This approach focuses on the underlying causes of the disparities, as well as on the need for a public health approach to abortion care.

Women of lower socioeconomic status and women of color in the United States have higher rates of abortion than women of higher socioeconomic status and White women. Disparities in abortion care have led to a public health approach to abortion care that focuses on the social determinants of health and that recognizes the need for a public health approach to abortion care. This approach focuses on the underlying causes of the disparities, as well as on the need for a public health approach to abortion care.