

Abortion: Quality Care and Public Health Implications

Works Cited Week Four

1. Facts on Induced Abortion Worldwide. 2015.
2. An Overview of Abortion in the United States. Guttmacher Institute; Jan 2014.
3. Ashok PW, Templeton A, Wagaarachchi PT, Flett GM. Midtrimester medical termination of pregnancy: a review of 1002 consecutive cases. *Contraception* 2004 Jan;69(1):51-8.
4. Autry AM, Hayes EC, Jacobson GF, Kirby RS. A comparison of medical induction and dilation and evacuation for second-trimester abortion. *American Journal of Obstetrics & Gynecology* 2002 01/08/2002;187(2):393-7.
5. Bartlett LA, Berg CJ, Shulman HB, Zane SB, Green CA, Whitehead S, et al. Risk factors for legal induced abortion-related mortality in the United States. *Obstet Gynecol* 2004 Apr;103(4):729-37.
6. Bartz D, Maurer R, Allen RH, Fortin J, Kuang B, Goldberg AB. Buccal misoprostol compared with synthetic osmotic cervical dilator before surgical abortion: a randomized controlled trial. *Obstet Gynecol* 2013 Jul;122(1):57-63.
7. Bazelon E. Is There a Post-Abortion Syndrome? - New York Times. Jan 2007 [cited; Available from: http://www.nytimes.com/2007/01/21/magazine/21abortion.t.html?pagewanted=all&_r=0
8. Ben-Ami I, Schneider D, Svirsky R, Smorgick N, Pansky M, Halperin R. Safety of late second-trimester pregnancy termination by laminaria dilatation and evacuation in patients with previous multiple cesarean sections. *American Journal of Obstetrics & Gynecology* 2009 01/08/2009;201(2):154.e1-.e5.
9. Boland R. Second Trimester Abortion Laws Globally: Actuality, Trends and Recommendations. 2015.
10. Borgatta L, Roncari D, Sonalkar S, Mark A, Hou MY, Finneseth M, et al. Mifepristone vs. osmotic dilator insertion for cervical preparation prior to surgical abortion at 14-16 weeks: a randomized trial. *Contraception* 2012 Nov;86(5):567-71.
11. Bryant AG, Grimes DA, Garrett JM, Stuart GS. Second-trimester abortion for fetal anomalies or fetal death: labor induction compared with dilation and evacuation. *Obstet Gynecol* 2011 Apr;117(4):788-92.
12. Cowett AA, Golub RM, Grobman WA. Cost-effectiveness of dilation and evacuation versus the induction of labor for second-trimester pregnancy termination. *Am J Obstet Gynecol* 2006 Mar;194(3):768-73.
13. Creinin MD. Randomized comparison of efficacy, acceptability and cost of medical versus surgical abortion. *Contraception* 2000 Sep;62(3):117-24.
14. Dalvie SS. Second Trimester Abortions in India. *Reproductive Health Matters* 2008 01/05/2008;16(31):37-45.

15. Health Do. Abortion statistics, England and Wales. Gov.UK; 2013.
16. Dickinson JE, Doherty DA. Optimization of third-stage management after second-trimester medical pregnancy termination. *Am J Obstet Gynecol* 2009 Sep;201(3):303.e1-7.
17. Dickinson JE, Jennings BG, Doherty DA. Mifepristone and oral, vaginal, or sublingual misoprostol for second-trimester abortion: a randomized controlled trial. *Obstet Gynecol* 2014 Jun;123(6):1162-8.
18. Dorfman SF, Grimes DA, Cates W, Jr., Binkin NJ, Kafrissen ME, O'Reilly KR. Ectopic pregnancy mortality, United States, 1979 to 1980: clinical aspects. *Obstet Gynecol* 1984 Sep;64(3):386-90.
19. Drey EA, Foster DG, Jackson RA, Lee SJ, Cardenas LH, Darney PD. Risk factors associated with presenting for abortion in the second trimester. *Obstet Gynecol* 2006 Jan;107(1):128-35.
20. Drey EAM, EdM, Foster DGP, Jackson RAM, Lee SJ, Cardenas L, Darney PDM, MS. Risk Factors Associated With Presenting for Abortion in the... : *Obstetrics & Gynecology*. *Obstetrics & Gynecology* 2015.
21. Edlow AG HM, Maurer R BC, Delli-Bovi L GA. Uterine evacuation for second-trimester fetal death and maternal morbidity. Department of Obstetrics and Gynecology, Brigham and Women's Hospital, Boston, MA 02115, USA.: *Obstet Gynecol*; 2011.
22. Fakh MH, Barnea ER, Yarkoni S, DeCherney AH. The value of real time ultrasonography in first trimester termination. *Contraception* 1986 Jun;33(6):533-8.
23. Finer LB, Frohwirth LF, Dauphinee LA, Singh S, Moore AM. Timing of steps and reasons for delays in obtaining abortions in the United States. *Contraception* 2006 Oct;74(4):334-44.
24. Foster DG, Jackson RA, Cosby K, Weitz TA, Darney PD, Drey EA. Predictors of delay in each step leading to an abortion. *Contraception* 2008 Apr;77(4):289-93.
25. Fox MC, Hayes JL. Cervical preparation for second-trimester surgical abortion prior to 20 weeks of gestation. *Contraception* 2007 Dec;76(6):486-95.
26. Freak-Poli R, Chan A, Tucker G, Street J. Previous abortion and risk of pre-term birth: a population study. *J Matern Fetal Neonatal Med* 2009 Jan;22(1):1-7.
27. Frick AC, Drey EA, Diedrich JT, Steinauer JE. Effect of prior cesarean delivery on risk of second-trimester surgical abortion complications. *Obstet Gynecol* 2010 Apr;115(4):760-4.
28. Grimes DA, Schulz KF, Cates WJ, Tyler CW. Mid-Trimester Abortion by Dilatation and Evacuation — A Safe and Practical Alternative — *NEJM*. 2015.
29. Grossman D, Constant D, Lince N, Alblas M, Blanchard K, Harries J. Surgical and medical second trimester abortion in South Africa: A cross-sectional study. *BMC Health Serv Res*; 2011. p. 224.
30. Institute G. Guttmacher Policy Review 16(2): Table of Contents. 2015.
31. Institute G. Induced Abortion in the United States. July 2014.
32. HAKIM-ELAHI EM, TOVELL HMMM, BURNHILL MSM, DMSc. Complications of First-Trimester Abortion: A Report of 170,0... : *Obstetrics & Gynecology*. 2015.

33. Harries J, Orner P, Gabriel M, Mitchell E. Delays in seeking an abortion until the second trimester: a qualitative study in South Africa. *Reproductive Health* 2007 2007-09-20;4(1):7.
34. Harris LH, Grossman D. Confronting the challenge of unsafe second-trimester abortion. *Int J Gynaecol Obstet* 2011 Oct;115(1):77-9.
35. Harwood B, Nansel T. Quality of life and acceptability of medical versus surgical management of early pregnancy failure. *Bjog* 2008 Mar;115(4):501-8.
36. Henderson JT, Puri M, Blum M, Harper CC, Rana A, Gurung G, et al. Effects of abortion legalization in Nepal, 2001-2010. *PLoS One* 2013;8(5):e64775.
37. Henriot L, Kaminski M. Impact of induced abortions on subsequent pregnancy outcome: the 1995 French national perinatal survey. *Bjog* 2001 Oct;108(10):1036-42.
38. Henshaw RC, Naji SA, Russell IT, Templeton AA. Comparison of medical abortion with surgical vacuum aspiration: women's preferences and acceptability of treatment. *Bmj* 1993 Sep 18;307(6906):714-7.
39. Hern WM. Serial Multiple Laminaria and Adjunctive Urea in Late Outpat... : *Obstetrics & Gynecology*. *Obstetrics & Gynecology* 2015.
40. Hohmann HL, Reeves MF, Chen BA, Perriera LK, Hayes JL, Creinin MD. Immediate versus delayed insertion of the levonorgestrel-releasing intrauterine device following dilation and evacuation: a randomized controlled trial. *Contraception* 2012 Mar;85(3):240-5.
41. Jackson JE, Grobman WA, Haney E, Casele H. Mid-trimester dilation and evacuation with laminaria does not increase the risk for severe subsequent pregnancy complications. *Int J Gynaecol Obstet* 2007 Jan;96(1):12-5.
42. Jagannathan R. Relying on surveys to understand abortion behavior: some cautionary evidence. *Am J Public Health* 2001 Nov;91(11):1825-31.
43. Jones BS, Weitz TA. Legal barriers to second-trimester abortion provision and public health consequences. *Am J Public Health* 2009 Apr;99(4):623-30.
44. Jones RK, Kooistra K. *Abortion Incidence and Access to Services In the United States. Perspectives on Sexual and Reproductive Health: Guttmacher Institute; 2008*
45. Kaltreider NB, Goldsmith S, Margolis AJ. The impact of midtrimester abortion techniques on patients and staff. *Am J Obstet Gynecol* 1979 Sep 15;135(2):235-8.
46. Kapp N, Lohr PA, Ngo TD, Hayes JL. Cervical preparation for first trimester surgical abortion. *Cochrane Database Syst Rev* 2010(2):Cd007207.
47. Kapp N, Whyte P, Tang J, Jackson E, Brahmi D. A review of evidence for safe abortion care. *Contraception* 2013 Sep;88(3):350-63.
48. Kelly K. The spread of 'Post Abortion Syndrome' as social diagnosis. *Soc Sci Med* 2014 Feb;102:18-25.
49. Kelly T, Suddes J, Howel D, Hewison J, Robson S. Comparing medical versus surgical termination of pregnancy at 13-20 weeks of gestation: a randomised controlled trial. *Bjog* 2010 Nov;117(12):1512-20.

50. Kerns JL, Steinauer JE, Rosenstein MG, Turk JK, Caughey AB, D'Alton M. Maternal-fetal medicine subspecialists' provision of second-trimester termination services. *Am J Perinatol* 2012 Oct;29(9):709-16.
51. Kerns J, Steinauer J. Management of postabortion hemorrhage: release date November 2012 SFP Guideline #20131. *Contraception* 2013 Mar;87(3):331-42.
52. Kerns J, Vanjani R, Freedman L, Meckstroth K, Drey EA, Steinauer J. Women's decision making regarding choice of second trimester termination method for pregnancy complications. *Int J Gynaecol Obstet* 2012 Mar;116(3):244-8.
53. Institute LI. 18 U.S. Code § 1531 - Partial-birth abortions prohibited. Cornell University Law School.
54. Liu S, Joseph KS, Kramer MS, Allen AC, Sauve R, Rusen ID, et al. Relationship of prenatal diagnosis and pregnancy termination to overall infant mortality in Canada. *Jama* 2002 Mar 27;287(12):1561-7.
55. Luk J, Allen RH, Schantz-Dunn J, Goldberg AB. Intrauterine adhesions as a risk factor for failed first-trimester pregnancy termination. *Contraception* 2007 Oct;76(4):331-3.
56. Martius JA, Steck T, Oehler MK, Wulf KH. Risk factors associated with preterm (<37+0 weeks) and early preterm birth (<32+0 weeks): univariate and multivariate analysis of 106 345 singleton births from the 1994 statewide perinatal survey of Bavaria. *Eur J Obstet Gynecol Reprod Biol* 1998 Oct;80(2):183-9.
57. Moreau C, Kaminski M, Ancel PY, Bouyer J, Escande B, Thiriez G, et al. Previous induced abortions and the risk of very preterm delivery: results of the EPIPAGE study. *Bjog* 2005 Apr;112(4):430-7.
58. Newmann S, Dalve-Endres A, Drey EA, Planning SoF. Clinical guidelines. Cervical preparation for surgical abortion from 20 to 24 weeks' gestation. *Contraception* 2008 Apr;77(4):308-14.
59. Nichols M. Medical termination of early rudimentary horn pregnancy. *J Reprod Med* 2002 Oct;47(10):878-9; author reply 9-80.
60. O'Connell K, Jones H, Lichtenberg ES, Paul M. Second-trimester surgical abortion practices: a survey of National Abortion Federation members. *Contraception* 2008 01/08/2008;78(2):169.
61. Parazzini F, Ricci E, Chiaffarino F, Cipriani S, Tozzi L, Fedele L. Does induced abortion increase the risk of preterm birth? Results from a case-control study. *Gynecol Obstet Invest* 2010;69(1):40-5.
62. Paul M, Lichtenberg S, Borgatta L, Grimes DA, Stubblefield PG, Creinin MD. Management of Unintended and Abnormal Pregnancy: Comprehensive Abortion Care; 2009.
63. Pazol K¹ ZS, Parker WY, Hall LR, Berg C, Cook DA, (CDC). CfDCaP. Abortion surveillance--United States, 2008. Division of Reproductive Health, National Center for Chronic Disease Prevention and Health Promotion, CDC, Atlanta, GA 30333, USA.: *MMWR Surveill Summ*; 2008.
64. Pazol K, Creanga, Andreea A., Burley, Kim D., Hayes, Brenda., Jamieson, Denise J. Abortion Surveillance â United States, 2010. 2015 [cited; Available from: <http://www.cdc.gov/mmwr/preview/mmwrhtml/ss6208a1.htm>
65. Peterson WF, Norman, Berry F., Mamdouh, Grace, Gulbranson, Christie L. Second-Trimester Abortion by Dilatation and Evacuation: An A... : *Obstetrics & Gynecology*. *Obstetrics & Gynecology* 2015.
66. Pridmore BR, Chambers DG. Uterine perforation during surgical abortion: a review of diagnosis, management and prevention. *Aust N Z J Obstet Gynaecol* 1999 Aug;39(3):349-53.

67. Raatikainen K, Heiskanen N, Heinonen S. Induced abortion: not an independent risk factor for pregnancy outcome, but a challenge for health counseling. *Ann Epidemiol* 2006 Aug;16(8):587-92.
68. Sawaya GF, Grady D, Kerlikowske K, Grimes DA. Antibiotics at the time of induced abortion: the case for universal prophylaxis based on a meta-analysis. *Obstet Gynecol* 1996 May;87(5 Pt 2):884-90.
69. Schechtman KBP, Gray DLM, Baty JD, Rothman SMM. Decision-Making for Termination of Pregnancies With Fetal An... : *Obstetrics & Gynecology*. 2015.
70. Sedgh G, Henshaw S, Singh S, Ahman E, Shah IH. Induced abortion: estimated rates and trends worldwide. *Lancet* 2007 Oct 13;370(9595):1338-45.
71. Steinauer JE, Diedrich JT, Wilson MW, PD D, Vargas JE, EA. D. Uterine artery embolization in postabortion hemorrhage. Bixby Center for Reproductive Health Research and Policy, and San Francisco General Hospital, Department of Obstetrics, Gynecology, and Reproductive Sciences, University of California, San Francisco, California, USA.: *Obstet Gynecol*; 2008.
72. Steinauer J, Landy U, Filippone H, Laube D, Darney PD, Jackson RA. Predictors of abortion provision among practicing obstetrician-gynecologists: a national survey. *Am J Obstet Gynecol* 2008 Jan;198(1):39.e1-6.
73. Strauss. Abortion surveillance--United States. *MMWR Surveill Summ*; 2004.
74. Tang GW, Lau OW, Yip P. Further acceptability evaluation of RU486 and ONO 802 as abortifacient agents in a Chinese population. *Contraception* 1993 Sep;48(3):267-76.
75. Torres A, Forrest JD. Why Do Women Have Abortions? *Family Planning Perspectives*: Guttmacher Institute; Jul. - Aug., 1988. p. 169-76.
76. Turok DK, Gurtcheff SE, Esplin MS, Shah M, Simonsen SE, Trauscht-Van Horn J, et al. Second trimester termination of pregnancy: a review by site and procedure type. *Contraception* 2008 Mar;77(3):155-61.
77. Unuigbo JA, Oronsaye AU, Orhue AA. Abortion-related morbidity and mortality in Benin City, Nigeria: 1973-1985. *Int J Gynaecol Obstet* 1988 Jun;26(3):435-9.
78. van Dijk MG, Ahued Ortega A, Contreras X, Garcia SG. Stories behind the statistics: a review of abortion-related deaths from 2005 to 2007 in Mexico City. *Int J Gynaecol Obstet* 2012 Sep;118 Suppl 2:S87-91.
79. Vargas J, Diedrich J. Second-trimester induction of labor. *Clin Obstet Gynecol* 2009 Jun;52(2):188-97.
80. Walker D, Campero L, Espinoza H, Hernandez B, Anaya L, Reynoso S, et al. Deaths from complications of unsafe abortion: misclassified second trimester deaths. *Reprod Health Matters* 2004 Nov;12(24 Suppl):27-38.
81. Weitz TA, Moore K, Gordon R, Adler N. You say "regret" and I say "relief": a need to break the polemic about abortion. *Contraception. United States*; 2008. p. 87-9.
82. Whitley KA, Trinchere K, Prutsman W, Quinones JN, Rochon ML. Midtrimester dilation and evacuation versus prostaglandin induction: a comparison of composite outcomes. *Am J Obstet Gynecol* 2011 Oct;205(4):386.e1-7.

83. Widmer M, Blum J, Hofmeyr GJ, Carroli G, Abdel-Aleem H, Lumbiganon P, et al. Misoprostol as an adjunct to standard uterotonics for treatment of post-partum haemorrhage: a multicentre, double-blind randomised trial. *The Lancet* 2010 22/05/2010;375(9728):1808-13.

84. Wyldes MP, Tonks AM. Termination of pregnancy for fetal anomaly: a population-based study 1995 to 2004. *Bjog* 2007 May;114(5):639-42.

85. Zhirova IA, Frolova OG, Astakhova TM, Ketting E. Abortion-related maternal mortality in the Russian Federation. *Stud Fam Plann* 2004 Sep;35(3):178-88.