



## Abortion: Quality Care and Public Health Implications

### Works Cited Week Three

1. PLANNED PARENTHOOD OF SOUTHEASTERN PENNSYLVANIA et al. v. CASEY, GOVERNOR OF PENNSYLVANIA, et al.: Legal Information Institute; 1992.
2. Pathophysiology of Pain and Pain Management. American Medical Association; 2003.
3. Medical Eligibility for Contraceptive Use. 4th ed: World Health Organization; 2009.
4. Assessment of Pain During Medical Procedures: A Comparison o... : The Clinical Journal of Pain. 2015.
5. Gynuity Health Projects » Research and Technical Assistance Organization. 2015 [cited; Available from: <http://gynuity.org/>]
6. Manual Versus Electric Vacuum Aspiration for Early First-Tri... : Obstetrics & Gynecology. 2015.
7. Medicaid Income Eligibility Limits for Adults as a Percent of the Federal Poverty Level. 2015.
8. Search and View Full text of Supreme Court Decisions on FedWorld.gov. 2015 [cited; Available from: [http://supcourt.ntis.gov/get\\_case.html?casename=Case%20Name:%20ROE%20V.%20WADE,%20410%20U.S.%20113%20&searchstring=mode=casename&cn\\_words1=Roe&cn\\_words2=Wade](http://supcourt.ntis.gov/get_case.html?casename=Case%20Name:%20ROE%20V.%20WADE,%20410%20U.S.%20113%20&searchstring=mode=casename&cn_words1=Roe&cn_words2=Wade)]
9. The World's Abortion Laws 2015. 2015 [cited; Available from: <http://worldabortionlaws.com/map/>]
10. Ahmed S, Li Q, Liu L, Tsui AO. Maternal deaths averted by contraceptive use: an analysis of 172 countries. Lancet 2012 Jul 14;380(9837):111-25.
11. Allen RH, Kumar D, Fitzmaurice G, Lifford KL, Goldberg AB. Pain management of first-trimester surgical abortion: effects of selection of local anesthesia with and without lorazepam or intravenous sedation. Contraception 2006 Nov;74(5):407-13.
12. Anderson KO, Green CR, Payne R. Racial and ethnic disparities in pain: causes and consequences of unequal care. J Pain 2009 Dec;10(12):1187-204.
13. Arendt-Nielsen L, Bajaj P, Drewes AM. Visceral pain: gender differences in response to experimental and clinical pain. Eur J Pain 2004 Oct;8(5):465-72.
14. Bajaj P, Drewes AM, Gregersen H, Petersen P, Madsen H, Arendt-Nielsen L. Controlled dilatation of the uterine cervix--an experimental visceral pain model. Pain 2002 Oct;99(3):433-42.
15. Bednarek PH, Creinin MD, Reeves MF, Cwiak C, Espey E, Jensen JT. Immediate versus delayed IUD insertion after uterine aspiration. N Engl J Med 2011 Jun 9;364(23):2208-17.
16. Bird ST, Harvey SM, Nichols MD, Edelman A. Comparing the acceptability of manual vacuum aspiration and electric vacuum aspiration as methods of early abortion. J Am Med Womens Assoc 2001;56(3):124-6.

17. Blumenthal PD, Remsburg RE. A time and cost analysis of the management of incomplete abortion with manual vacuum aspiration. *Int J Gynaecol Obstet* 1994 Jun;45(3):261-7.
18. Brache V, Cochon L, Jesam C, Maldonado R, Salvatierra AM, Levy DP, et al. Immediate pre-ovulatory administration of 30 mg ulipristal acetate significantly delays follicular rupture. *Hum Reprod* 2010 Sep;25(9):2256-63.
19. Bracken H, Dabash R, Tsertsvadze G, Posohova S, Shah M, Hajri S, et al. A two-pill sublingual misoprostol outpatient regimen following mifepristone for medical abortion through 70 days' LMP: a prospective comparative open-label trial. *Contraception* 2014 Mar;89(3):181-6.
20. Rights CfR. A Map of Progress | Center for Reproductive Rights. 2015 [cited; Available from: <http://www.reproductiverights.org/feature/a-map-of-progress>
21. Cepeda MS, Carr DB, Lau J, Alvarez H. Music for pain relief. *Cochrane Database Syst Rev* 2006(2):Cd004843.
22. Cheng L, Gulmezoglu AM, Piaggio G, Ezcurra E, Van Look PF. Interventions for emergency contraception. *Cochrane Database Syst Rev* 2008(2):Cd001324.
23. Clark S, Krishna U, Kallenbach L, Mandlekar A, Raote V, Ellertson C. Women's preferences for general or local anesthesia for pain during first trimester surgical abortion in India. *Contraception* 2002 Oct;66(4):275-9.
24. Cleland K, Creinin MD, Nucatola D, Nshom M, Trussell J. Significant adverse events and outcomes after medical abortion. *Obstet Gynecol* 2013 Jan;121(1):166-71.
25. Cook PJ, Parnell AM, Moore MJ, Pagnini D. The effects of short-term variation in abortion funding on pregnancy outcomes. *J Health Econ* 1999 Apr;18(2):241-57.
26. Cowett AA, Cohen LS, Lichtenberg ES, Stika CS. Ultrasound evaluation of the endometrium after medical termination of pregnancy. *Obstet Gynecol* 2004 May;103(5 Pt 1):871-5.
27. Creinin MD, Harwood B, Guido RS, Fox MC, Zhang J. Endometrial thickness after misoprostol use for early pregnancy failure. *Int J Gynaecol Obstet* 2004 Jul;86(1):22-6.
28. Crews JC. Multimodal pain management strategies for office-based and ambulatory procedures. *Jama* 2002 Aug 7;288(5):629-32.
29. Davis A, Westhoff C, De Nonno L. Bleeding patterns after early abortion with mifepristone and misoprostol or manual vacuum aspiration. *J Am Med Womens Assoc* 2000;55(3 Suppl):141-4.
30. Dean G, Colarossi L, Porsch L, Betancourt G, Jacobs A, Paul M. The sensitivity of manual versus electric vacuum aspiration in detecting completed abortion at less than 6 weeks of gestation. *Contraception* 2012 01/09/2012;86(3):296.
31. Donati S, Medda E, Proietti S, Rizzo L, Spinelli A, Subrizi D, et al. Reducing pain of first trimester abortion under local anaesthesia. *Eur J Obstet Gynecol Reprod Biol* 1996 Dec 27;70(2):145-9.
32. Drey EA, Reeves MF, Ogawa DD, Sokoloff A, Darney PD, Steinauer JE. Insertion of intrauterine contraceptives immediately following first- and second-trimester abortions. *Contraception* 2009 May;79(5):397-402.

33. Faymonville ME, Mambourg PH, Joris J, Vrijens B, Fissette J, Albert A, et al. Psychological approaches during conscious sedation. Hypnosis versus stress reducing strategies: a prospective randomized study. *Pain* 1997 Dec;73(3):361-7.
34. Fiala C, Fux M, Gemzell Danielsson K. Rh-prophylaxis in early abortion. *Acta Obstet Gynecol Scand* 2003 Oct;82(10):892-903.
35. Fielding SL, Schaff EA, Nam NY. Clinicians' perception of sonogram indication for mifepristone abortion up to 63 days. *Contraception* 2002 Jul;66(1):27-31.
36. Fjerstad M, Trussell J, Sivin I, Lichtenberg ES, Cullins V. Rates of serious infection after changes in regimens for medical abortion. *N Engl J Med* 2009 Jul 9;361(2):145-51.
37. Fox MC, Oat-Judge J, Severson K, Jamshidi RM, Singh RH, McDonald-Mosley R, et al. Immediate placement of intrauterine devices after first and second trimester pregnancy termination. *Contraception* 2011 Jan;83(1):34-40.
38. Goodman S, Hendlich SK, Reeves MF, Foster-Rosales A. Impact of immediate postabortal insertion of intrauterine contraception on repeat abortion. *Contraception* 2008 Aug;78(2):143-8.
39. Grimes DA, Lopez LM, Schulz KF, Stanwood NL. Immediate postabortal insertion of intrauterine devices. *Cochrane Database Syst Rev* 2010(6):Cd001777.
40. Guerrero JM, Castano PM, Schmidt EO, Rosario L, Westhoff CL. Music as an auxiliary analgesic during first trimester surgical abortion: a randomized controlled trial. *Contraception* 2012 Aug;86(2):157-62.
41. Boonstra HD. Insurance Coverage of Abortion: Beyond the Exceptions For Life Endangerment, Rape and Incest. 2015.
42. Henderson JT, Hwang AC, Harper CC, Stewart FH. Safety of mifepristone abortions in clinical use. *Contraception* 2005 Sep;72(3):175-8.
43. Henshaw SK, Joyce TJ, Dennis A, Finer LB, Blanchard K. Restrictions on Medicaid Funding for Abortions: A Literature Review. Guttmacher Institute; June 2009.
44. Hilden M, Sidenius K, Langhoff-Roos J, Wijma B, Schei B. Women's experiences of the gynecologic examination: factors associated with discomfort. *Acta Obstet Gynecol Scand* 2003 Nov;82(11):1030-6.
45. Jackson AV, Dayananda I, Fortin JM, Fitzmaurice G, Goldberg AB. Can women accurately assess the outcome of medical abortion based on symptoms alone? *Contraception* 2012 Feb;85(2):192-7.
46. Jones J, Mosher W, Daniels K. Current Contraceptive Use in the United States, 2006–2010, and Changes in Patterns of Use Since 1995. Hyattsville: U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Centers for Disease Control and Prevention National Center for Health Statistics; October 2012.
47. Jones RK, Upadhyay UD, Weitz TA. At what cost? Payment for abortion care by U.S. women. *Womens Health Issues* 2013 May-Jun;23(3):e173-8.
48. Jones RK. Changes in Abortion Rates Between 2000 and 2008 and Lifetime... : *Obstetrics & Gynecology*. 2015.

49. Jones RK, Finer LB, Singh S. Characteristics of U.S. Abortion Patients, 2008. Guttmacher Institute; May 2010.
50. Jones RK, Kooistra K. Abortion Incidence and Access to Services In the United States. Perspectives on Sexual and Reproductive Health: Guttmacher Institute; 2008
51. Kavanaugh ML, Carlin EE, Jones RK. Patients' attitudes and experiences related to receiving contraception during abortion care. Contraception 2011 Dec;84(6):585-93.
52. Kavanaugh ML, Jones RK, Finer LB. How commonly do US abortion clinics offer contraceptive services? Contraception 2010 Oct;82(4):331-6.
53. Keller M. America's Abortion Clinics. 2013.
54. Kotani N, Hashimoto H, Sato Y, Sessler DI, Yoshioka H, Kitayama M, et al. Preoperative intradermal acupuncture reduces postoperative pain, nausea and vomiting, analgesic requirement, and sympathoadrenal responses. Anesthesiology 2001 Aug;95(2):349-56.
55. Lee JA, Afable-Munsuz A, Van Bebber SL, Phillips KA. Insured women and payment for elective abortion. Womens Health Issues 2008 Sep-Oct;18(5):347-50.
56. Institute LI. SUPREME COURT OF THE UNITED STATESGONZALES, ATTORNEY GENERAL v. CARHART et al.; 2007.
57. Mondragon y Kalb M, Ahued Ortega A, Morales Velazquez J, Diaz Olavarrieta C, Valencia Rodriguez J, Becker D, et al. Patient characteristics and service trends following abortion legalization in Mexico City, 2007-10. Stud Fam Plann 2011 Sep;42(3):159-66.
58. Mosher WD, Jones J. Use of contraception in the United States: 1982-2008. Vital Health Stat 23 2010 Aug(29):1-44.
59. Federation NA. 2013 Clinical Policy Guidelines. National Abortion Federation 1660 L Street, NW, Suite 450 Washington, DC 20036; 2013.
60. O'Connell K, Jones H, Lichtenberg ES, Paul M. Second-trimester surgical abortion practices: a survey of National Abortion Federation members. Contraception 2008 01/08/2008;78(2):169.
61. Perriera LK, Reeves MF, Chen BA, Hohmann HL, Hayes J, Creinin MD. Feasibility of telephone follow-up after medical abortion. Contraception 2010 Feb;81(2):143-9.
62. Perrott DH. Anesthesia outside the operating room in the office-based setting. Curr Opin Anaesthesiol 2008 Aug;21(4):480-5.
63. Phair N, Jensen JT, Nichols MD. Paracervical block and elective abortion: the effect on pain of waiting between injection and procedure. Am J Obstet Gynecol 2002 Jun;186(6):1304-7.
64. Pruitt SL, Mullen PD. Contraception or abortion? Inaccurate descriptions of emergency contraception in newspaper articles, 1992-2002. Contraception 2005 Jan;71(1):14-21.
65. Rausch M, Lorch S, Chung K, Frederick M, Zhang J, Barnhart K. A cost-effectiveness analysis of surgical versus medical management of early pregnancy loss. Fertil Steril 2012 Feb;97(2):355-60.

66. Rawling MJ, Wiebe ER. A randomized controlled trial of fentanyl for abortion pain. *Am J Obstet Gynecol* 2001 Jul;185(1):103-7.
67. Raymond EG, Shannon C, Weaver MA, Winikoff B. First-trimester medical abortion with mifepristone 200 mg and misoprostol: a systematic review. *Contraception* 2013 01/01/2013;87(1):26-37.
68. Reeves MF, Fox MC, Lohr PA, Creinin MD. Endometrial thickness following medical abortion is not predictive of subsequent surgical intervention. *Ultrasound Obstet Gynecol* 2009 Jul;34(1):104-9.
69. Renner R-M. Paracervical Block for Pain Control in First-Trimester Surgi... : *Obstetrics & Gynecology*. 2015.
70. Check RR. Tracking Texas Abortion Access. 2015.
71. Roberts SC, Gould H, Kimport K, Weitz TA, Foster DG. Out-of-pocket costs and insurance coverage for abortion in the United States. *Womens Health Issues* 2014 Mar-Apr;24(2):e211-8.
72. Romero I, Turok D, Gilliam M. A randomized trial of tramadol versus ibuprofen as an adjunct to pain control during vacuum aspiration abortion. *Contraception* 2008 Jan;77(1):56-9.
73. Rorbye C, Norgaard M, Nilas L. Medical versus surgical abortion: comparing satisfaction and potential confounders in a partly randomized study. *Hum Reprod* 2005 Mar;20(3):834-8.
74. Rose SB, Lawton BA, Brown SA. Uptake and adherence to long-acting reversible contraception post-abortion. *Contraception* 2010 Oct;82(4):345-53.
75. Schaff EA, Eisinger SH, Franks P, Kim SS. Methotrexate and misoprostol for early abortion. *Fam Med* 1996 Mar;28(3):198-203.
76. Schaff EA, Eisinger SH, Stadalius LS, Franks P, Gore BZ, Poppema S. Low-dose mifepristone 200 mg and vaginal misoprostol for abortion. *Contraception* 1999 Jan;59(1):1-6.
77. Stubblefield PG. Control of pain for women undergoing abortion. *Suppl Int J Gynecol Obstet* 1989;3:131-40.
78. Tingaker BK, Ekman-Ordeberg G, Forsgren S. Presence of sensory nerve corpuscles in the human corpus and cervix uteri during pregnancy and labor as revealed by immunohistochemistry. *Reprod Biol Endocrinol* 2006;4:45.
79. United Nations DoEaSA, Population Edition. *World Contraceptive Patterns*. 2013.
80. Division UCBHaHES. *Health Insurance Table 1*. 2013 2013-09-13.
81. Wiebe ER. Comparison of the efficacy of different local anesthetics and techniques of local anesthesia in therapeutic abortions. *Am J Obstet Gynecol* 1992 Jul;167(1):131-4.
82. Wiebe ER, Rawling M. Pain control in abortion. *Int J Gynaecol Obstet* 1995 Jul;50(1):41-6.
83. Wiebe E, Podhradsky L, Dijak V. The effect of lorazepam on pain and anxiety in abortion. *Contraception* 2003 Mar;67(3):219-21.
84. Wikipedia. *Medical abortion*. 2015 [cited; Available from: [https://en.wikipedia.org/wiki/Medical\\_abortion](https://en.wikipedia.org/wiki/Medical_abortion)

85. Winikoff B, Dzuba IG, Chong E, Goldberg AB, Lichtenberg ES, Ball C, et al. Extending outpatient medical abortion services through 70 days of gestational age. *Obstet Gynecol* 2012 Nov;120(5):1070-6.
86. Winikoff B, Ellertson C, Elul B, Sivin I. Acceptability and feasibility of early pregnancy termination by mifepristone-misoprostol. Results of a large multicenter trial in the United States. Mifepristone Clinical Trials Group. *Arch Fam Med* 1998 Jul-Aug;7(4):360-6.
87. Wulf D, Singh S. An Overview of Clandestine Abortion in Latin America. Guttmacher Institute; 1996.