


This EC decision tree is intended for use by advance practice clinicians or physicians. It was developed based on evidence available as of January 2019. *shokoufeh.dianat@ucsf.edu*

Medication name abbreviations
 LNG: levonorgestrel
 UPA: ulipristal acetate



★ Shared decision-making: If a 5-day delay in contraceptive initiation is feasible (e.g., starting pill, patch, or ring at home, or easily able to return for LARC), this allows use of the more effective EC (UPA). Recommend more effective UPA especially if patient is highly motivated to prevent pregnancy, is beyond 72 hrs from first unprotected sex, and/or is at mid-cycle (regular cycles with LMP 10-14 d ago).

¶ Dosing recommendation is based on pharmacokinetic data. Clinical trial in progress. At standard 1.5 mg dose, pregnancy rate up to 5.8%.
 † Unprotected sex again after EC use is significant risk factor for pregnancy

References:
 Haeger et al. 2018. *Contracept Reprod Med.*
 Cleland et al. 2012. *Hum Reprod.*
 Edelman et al. 2018. *Contraception*
 Edelman et al. 2016. *Contraception*
 Glasier et al. 2011. *Contraception*
 Kapp et al. 2015. *Contraception.*
 Turok et al. 2013. *Hum Reprod.*